### **PCT**

# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



# INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

A61L 31/00  A1  (31) International Application Number: PCT/BE9400024 (22) International Filing Date: 24 March 1994 (24.03.94) (32) International Filing Date: 24 March 1994 (24.03.94) (33) Priority Data: 9300285 24 March 1993 (24.03.93) (36) Priority Data: 9300285 24 March 1993 (24.03.93) (37) Applicant (for all designated States except US): N.V. D.S.B. (BE/BE): Minibrug 1, Bus 2, B-2000 Antwerp (BE).  (36) Title: POLYURETHANE-COATED INTRAVASCULAR PROSTHESES (STENTS) FOR THE TREATMENT OF BLOOD VESSEL STENOSIS  (37) Abstract  A new method to treat blood vessel stenosis using endovascular prostheses which are coated with amphiphilic polyurethanes to which medicines can be coupled. By coating endovascular prostheses with amphiphilic polyurethanes, we have succeeded in significantly myclosed and proper the endown of the proper medicines in these polyure medicines can be coupled. By coating endovascular prostheses which are coated with amphiphilic polyurethanes to relate the proper to the proper of the proper to endown and the proper of the proper of the proper to the proper of the proper to the proper of the proper to the proper of the p	(51) International Patent Classification 5:	T —	The state of the s
(21) International Application Number: PCT/BE9400024 (22) International Filing Date: 24 March 1994 (24.03-94) (23) International Filing Date: 24 March 1994 (24.03-94) (24) International Filing Date: 24 March 1994 (24.03-94) (25) International Filing Date: 24 March 1994 (24.03-94) (26) Priority Data: 9300225 (27) Applicant (for all designated States except US): N.V. D.S.B. (BE/BE); Meirbrug 1, Bus 2, B-2000 Antwerp (BE).  (28) Title: POLYURETHANE-COATED INTRAVASCULAR PROSTHESES (STENTS) FOR THE TREATMENT OF BLOOD VESSEL STENOSIS (27) Abstract A new method to treat blood vessels atmosis using endovascular prosthesis with amphiphilic polyurethanes, we have succeeded in significantly in human or amind tissue and book companibility of endovascular prosthesis with amphiphilic polyurethanes, we have succeeded in significantly in human or amind tissue and book companibility of endovascular prosthesis with amphiphilic polyurethanes, we have the property, when implanted not be incorporate medicines in these polymers which, after implination of the polyurethanes have the property, when implanted on the property exception. Furthermore it is lose of implantation. This system can further reduce the thrombogenicity of the prostheses coated with the polyurethanes and inhibit the ejection against these prostheses.			(11) International Publication Number: WO 94/21309
(22) International Filing Date: 24 March 1994 (24.03.94)  (34) Priority Data: 9300285 24 March 1993 (24.03.93) BE  (71) Applicant (for all designated States except US): N.V. D.S.B. (BE/BE]; Meirbrug 1, Bus 2, B-2000 Answerp (BE).  (35) Title: POLYURETHANE-COATED INTRAVASCULAR PROSTHESES (STENTS) FOR THE TREATMENT OF BLOOD VESSEL STENOSIS  (37) Abstract  A new method to treat blood vessel stenosis using endovascular prostheses which are coated with amphiphilic polyurethanes to which medicines can be coupled. By coating endovascular prosthesis with amphiphilic polyurethanes, we have succeeded in significantly unproving the bio- and blood vessels, of remaining stable and seeming not to provoke an inflammatory reaction. Purthermore it is easily to incorporate medicines in these polymers which, after implantation of the polyurethanes and inhibit the ejection against these prostheses.		AI	(43) International Publication Date: 29 September 1994 (29.09.94)
9300285 24 March 1993 (24.03.93) BE  With International search report.  (71) Applicant (for all designated States except US): N.V. D.S.B. [BE/BE]; Meirbrug 1, Bus 2, B-2000 Antwerp (BE).  (54) Title: POLYURETHANE-COATED INTRAVASCULAR PROSTHESES (STENTS) FOR THE TREATMENT OF BLOOD VESSEL STENOSIS  57) Abstract  A new method to treat blood vessel stenosis using endovascular prostheses which are coated with amphiphilic polyurethanes to which medicines can be coupled. By coating endovascular prosthesis with amphiphilic polyurethanes have the property, when implanted a human or animal tissue and blood vessels, of remaining stable and seeming not to provoke an inflammatory reaction. Furthermore it is coasible to incorporate medicines in these polymers which, after implantation of the polymers are slowly released at the location of the lace of implantation. This system can further reduce the thrombogenicity of the prostheses coated with the polyurethanes and inhibit the ejection against these prostheses.			PL, RO, RU, US, European patent (AT, BE, CH, DE, DK
[8E/BE]; Meirbrug 1, Bus 2, B-2000 Antwerp (BE).  [54) Title: POLYURETHANE-COATED INTRAVASCULAR PROSTHESES (STENTS) FOR THE TREATMENT OF BLOOD VESSEL STENOSIS  [57) Abstract  A new method to treat blood vessel stenosis using endovascular prostheses which are coated with amphiphilic polyurethanes to which medicines can be coupled. By coating endovascular prosthesis with amphiphilic polyurethanes, we have succeeded in significantly emproving the bio- and blood compatibility of endovascular prostheses. These amphiphilic polyurethanes, we have succeeded in significantly emproving the bio- and blood compatibility of endovascular prostheses. These amphiphilic polyurethanes have the property, when implanted a human or animal tissue and blood vessels, of remaining stable and seeming not to provoke an inflammatory reaction. Furthermore it is lease of implantation. This system can further reduce the thrombogenicity of the prostheses coated with the polyurethanes and inhibit the ejection against these prostheses.		В	
A new method to treat blood vessel stenosis using endovascular prostheses which are coated with amphiphilic polyurethanes to which medicines can be coupled. By coating endovascular prosthesis with amphiphilic polyurethanes, we have succeeded in significantly improving the bio- and bloodcompatibility of endovascular prostheses. These amphiphilic polyurethanes have the property, when implanted in human or animal tissue and blood vessels, of remaining stable and seeming not to provoke an inflammatory reaction. Furthermore it is lace of implantation. This system can further reduce the thrombogenicity of the prostheses coated with the polyurethanes and inhibit the ejection against these prostheses.	(71) Applicant (for all designated States except US): N.V. [BE/BE]; Meirbrug 1, Bus 2, B-2000 Antwerp (BE	7. D.S.I 3).	3.
A new method to treat blood vessel stenosis using endovascular prostheses which are coated with amphiphilic polyurethanes to which medicines can be coupled. By coating endovascular prosthesis with amphiphilic polyurethanes, we have succeeded in significantly improving the bio- and bloodcompatibility of endovascular prostheses. These amphiphilic polyurethanes have the property, when implanted in human or animal tissue and blood vessels, of remaining stable and seeming not to provoke an inflammatory reaction. Furthermore it is lace of implantation. This system can further reduce the thrombogenicity of the prostheses coated with the polyurethanes and inhibit the ejection against these prostheses.			
A new method to treat blood vessel stenosis using endovascular prostheses which are coated with amphiphilic polyurethanes to which medicines can be coupled. By coating endovascular prosthesis with amphiphilic polyurethanes, we have succeeded in significantly improving the bio- and bloodcompatibility of endovascular prostheses. These amphiphilic polyurethanes have the property, when implanted in human or animal tissue and blood vessels, of remaining stable and seeming not to provoke an inflammatory reaction. Furthermore it is lace of implantation. This system can further reduce the thrombogenicity of the prostheses coated with the polyurethanes and inhibit the ejection against these prostheses.			
A new method to treat blood vessel stenosis using endovascular prostheses which are coated with amphiphilic polyurethanes to which medicines can be coupled. By coating endovascular prosthesis with amphiphilic polyurethanes, we have succeeded in significantly in human or animal tissue and blood vessels, of remaining stable and seeming not to provoke an inflammatory reaction. Furthermore it is lace of implantation. This system can further reduce the thrombogenicity of the prostheses coated with the polyurethanes and inhibit the ejection against these prostheses.			
A new method to treat blood vessel stenosis using endovascular prostheses which are coated with amphiphilic polyurethanes to which medicines can be coupled. By coating endovascular prosthesis with amphiphilic polyurethanes, we have succeeded in significantly in human or animal tissue and blood vessels, of remaining stable and seeming not to provoke an inflammatory reaction. Furthermore it is lace of implantation. This system can further reduce the thrombogenicity of the prostheses coated with the polyurethanes and inhibit the ejection against these prostheses.			·
A new method to treat blood vessel stenosis using endovascular prostheses which are coated with amphiphilic polyurethanes to which medicines can be coupled. By coating endovascular prosthesis with amphiphilic polyurethanes, we have succeeded in significantly improving the bio- and bloodcompatibility of endovascular prostheses. These amphiphilic polyurethanes have the property, when implanted in human or animal tissue and blood vessels, of remaining stable and seeming not provoke an inflammatory reaction. Furthermore it is lossible to incorporate medicines in these polymers which, after implantation of the polymers, are slowly released at the location of the place of implantation. This system can further reduce the thrombogenicity of the prostheses coated with the polyurethanes and inhibit the ejection against these prostheses.	54) THE: POLYURETHANE-COATED INTRAVASCUL STENOSIS	AR PR	OSTHESES (STENTS) FOR THE TREATMENT OF BLOOD VESSEL
	A new method to treat blood vessel stenosis using evhich medicines can be coupled. By coating endovascular proporting the bio- and bloodcompatibility of endovascular proporting in human or animal tissue and blood vessels, of remaining stoossible to incorporate medicines in these polymers which, lace of implantation. This system can further reduce the the	rosthese table at	s. These amphiphilic polyurethanes, we have succeeded in significantly is. These amphiphilic polyurethanes have the property, when implanted discerning not to provoke an inflammatory reaction. Furthermore it is
,			

ATTORNEY DOCKET NUMBER:10177-211-999 SERIAL NUMBER: 09/910,388

REFERENCE: B116

#### FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MIR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	ĦŪ	Hungary	NO	Norway
BG	Bulgaria	Œ	Ireland	NZ	New Zealand
BJ	Benin	П	[taly	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal Portugal
BY	Belanus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgystan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic	SD	Sudan
CG	Congo		of Korea	SE	Sweden
CH	Switzerland	KR	Republic of Korea	SI	Slovenia
CI	Côte d'Ivoire	KZ	Kazakhstan	SK	Slovakia
CM	Cameroon	LI	Liechtenstein	SN	Senegal
CN	China	LK	Sri Lanka	TD	Chad
cs	Czechoslovalcia	LU	Luxembourg	TG	Togo
CZ	Czech Republic	LV	Latvia	TJ	Tajikistan
DE	Germany	MC	Monaco	TT	Trinidad and Tobago
DK	Denmark	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	US	United States of America
FI	Finland	ML	Mali	UZ	Uzbekistan
FR	France	MN	Mongolia	VN	Viet Nam
GA	Gahon				

PCT/BE94/00024

1

POLYURETHANE-COATED INTRAVASCULAR PROTHESES (STENTS) FOR THE TREATMENT OF BLOOD VESSEL STENDSES. A new method to treat blood vessel stenoses by means of endovascular protheses which are coated with amphiphylic polyurethanes to which medicines can be coupled.

#### 10 DESCRIPTION

Treatment of blood vessel stenoses by means of a balloon catheter is a popular method. Last year, more than 6,000 patients with coronary heart disease were treated by this method in our country. The problem with this method is on the one hand the danger that a tear occurs during the blowing up of the balloon whereby the blood vessel can close and thus cause an acute myocardial infarction, on the other 20 hand it is well documented that this treatment method is accompanied by a frequent restenosis of the treated blood vessel within 6 months of the treatment. To solve this problems, medicines were tested in order to prevent the restenosis and furthermore new devices were developed. 25 One of these new methods consist of placing a metal intravascular prothesis (stent) at the level of the vessel stenosis. This method is very efficient for treating vessel tears which can occur during balloon dilatation. The problems with this metallic stents however are that they have proven to be thrombogenic and can cause an acute thrombotic occlusion of the treated blood vessel. On the other hand, it appeared that through the implantation of a metal stent in a blood vessel, the body can react with an inflammatory reaction whereby restenosis within the stent can occur. By covering these endovascular protheses with amphiphylic polyurethanes, we succeeded in significantly limiting both the problem of trombogenecity as well as the problem of reactive hyperproliferative response. Amphiphilic polyurethanes were synthesized starting from 40 amphiphilic polyester diols on the basis of ethylene oxide and proylene oxide. By reaction with a diisocyanate and a chain lengthener (butanediol), a thermoplastic polyurethane is finally obtained. By the appropriate choice of a) the polyesterdiol, especially the proportion of 45 ethyleneoxide/propyleneoxide, and b) the molecular weight of the diol, the bio- and blood compatibility can be optimized. Furthermore the kind of sterilisation of polyurethane-coated devices turned out to be very critical. We used certain amounts of gamma radiation which resulted in the formation of further crossbridging of the polymer leading to a more stable and more elastic polymer which is critical during the stent deployment. The resulting polymers turned

tissues or blood vessels. Furthermore they did not provoke
any inflammatory reaction.
Furthermore we were able to load these polyurethanes with
medicines, which were released slowly at the polymer
implantation side. These medicines are used to further
decrease the thrombogenecity of the stents (heparin, hirudin,
streptokinase, urokinase, tpa and other anticoagulants) and

out to be very stable when inplanted in human or animal

WO 94/21309 PCT/BE94/00024

2

5

to inhibit the inflammatory reaction caused by the stent (corticosteroids, antimitotics, angiopeptin and other antiinflammatoy drugs.) Using methylprednisolone loaded polyurethane coated stents we were able to block totally the stent restenosis in a pig coronary model.

15

### APPLICATION POSSIBILITES OF THE SYSTEM

50

- 1. Treatment of blood vessel stenosis in humans and animals.
- 2. Treatment of complications occurring during other treatment methods of blood vessel stenosis.

25

- 3. Treatment of complications occurring during diagnostic procedures.
- Coating of prosteses, wires, and catheters introduced for
   medical purposes.

WO 94/21309 PCT/BE94/00024

3

5

CLAIMS

10

15

By coating endovascular protheses with amphiphylic polyurethanes, we have developed an efficient method to treat blood vessel stenosis. This method proved to considerably limit the thrombogenicity as well as the rejection against endovascular protheses so that this method signifies an important step forward in the treatment of blood vessel stenosis.

Α.	CI	.ASS	IFICA	TION	OF	SUBJECT	MATTER
ĬP	C	5	A	51L3	31/	00	

According to International Patent Classification (IPC) or to both national classification and IPC

#### B. FIELDS SEARCHED

 $\label{lem:minimum documentation searched (classification system followed by classification symbols)} IPC \ 5 \ A61L$ 

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP,A,O 518 704 (SCIMED LIFE SYSTEMS) 16 December 1992 see claims 3,4,9-13	1
Y	WO,A,87 04935 (FISCHEL R.E.) 27 August 1987 see claim 11	1
Y	WO,A,92 15286 (NOVA PHARMACEUTICAL) 17 September 1992 see page 1, line 9 - line 21; claims 1,2,5; example 5	1
P,A	EP,A,O 566 245 (MEDTRONIC) 20 October 1993 see claims 1,3,5,28	1


"Special categories of cited documents:  "A" document defining the general state of the art which is not considered to be of particular relevance.	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention		
<ul> <li>F: earlier document but published on or after the international filing date</li> </ul>	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone		
1." document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another clation or other special reason (as specified)	'Y' document of particular relevance; the claimed invention		
"O" document referring to an oral disclosure, use, exhibition or other means	document is combined with one or more other such docu- ments, such combination being obvious to a person skilled in the art.		
'P' document published prior to the international filing date but later than the priority date claimed	'&' document member of the same patent family		
Date of the actual completion of the international search	Date of mailing of the international search report		
1 June 1994	0 8. 06. 94		
Name and mailing address of the ISA	Authorized officer		
European Patent Office, P.B. 5818 Patentlaan 2 NL · 2280 HV Ripswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Peltre, C		

Form PCT/ISA/210 (second sheet) (July 1992)

Further documents are listed in the continuation of box C.

Patent family members are listed in annex.





(Conunus	tion) DOCUMENTS CONSIDERED TO BE RELEVANT		
tegory *	Citation of document, with indication, where appropriate, of the relevant passages		Relevant to claim No.
<u>,</u>	US,A,4 371 686 (YAMAMOTO N.) 1 February 1983		1
	see column 1, line 6 - line 22		
		•	

#### INTERNATIONAL SEARCH REPORT



PCT/BE 94/00024

Box I	Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)
This inte	ernational search report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
1.	Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely: "Remark: Although claim 1 is directed to a method of treatment of the human/animal body the search has been carried ot and based on the alleged effects of the product."
2.	Claims Nos.: because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
3.	Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II	Observations where unity of invention is lacking (Continuation of item 2 of first sheet)
This Int	ernational Searching Authority found multiple inventions in this international application, as follows:
ı. 🗀	As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2.	As all searchable claims could be searches without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3.	As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
4.	No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
Remari	The additional search fees were accompanied by the applicant's protest.  No protest accompanied the payment of additional search fees.

## INTERNATIONAL SEARCH REPORT

...formation on patent family members

Inter nal Application No PCT/BE 94/00024

Patent document cited in search report	Publication date	Patent family member(s)		Publication date
EP-A-0518704	16-12-92	JP-A-	5200048	10-08-93
WO-A-8704935	27-08-87	DE-A- EP-A,B EP-A- US-A-	3786721 0257091 0556940 4768507	02-09-93 02-03-88 25-08-93 06-09-88
WO-A-9215286	17-09-92	AU-A-	1579092	06-10-92
EP-A-0566245	20-10-93	JP-A-	6007455	18-01-94
US-A-4371686	01-02-83	JP-C- JP-A- JP-B-	1184116 57051718 58008700	27-12-83 26-03-82 17-02-83